

DISTRIBUTED BY

DAKOTA




## AVENTOS

Lift Systems

[blum.com](http://blum.com)

 **blum**<sup>®</sup>



# Lift Systems

Whether users are cooking or hurriedly emptying the dishwasher, dodging wall cabinet doors can disrupt a good flow in the kitchen. With AVENTOS lift systems, doors move up and out of the way, meaning all wall cabinets can remain open while you're working in the kitchen, allowing you to easily see everything in your upper cabinets.

Even large fronts (up to 72" wide) open with ease and close silently and effortlessly thanks to BLUMOTION soft close. The variable stop feature means the door will hold in any position so it's always within easy reach for closing.



## AVENTOS

# HF



### Bi-fold Lift Systems

The two-part front folds together in the center when opening. This lift system is ideal for taller wall cabinets with large fronts.

#### Height range:

**479** (18-7/8") to **1067** (42")

#### Width range:

**381** (15") to **1828** (72")

- Well suited for large cabinets
- For both frameless and face frame applications
- Includes a finger safety feature
- Three-dimensional front adjustment of both fronts
- Variable stop
- Closes silently and effortlessly with BLUMOTION

#### Solutions for:

- ✓ Face frame
- ✓ Wood
- ✓ SERVO-DRIVE
- ✓ Frameless
- ✓ Wide
- ✓ BLUMOTION
- ✓ Narrow
- ✓ Aluminum frame

## AVENTOS

# HS



### Up & Over Lift Systems

The front swings over the cabinet and is ideal for large-area, single fronts. The up-and-over lift system is also perfect for cabinets with crown molding.

#### Height range:

**350** (13-3/4") to **800** (31-1/2")

#### Width range:

**381** (15") to **1828** (72")

- Well suited for large cabinets
- For both frameless and face frame applications
- Crown molding clearance
- Three-dimensional front adjustment of both fronts
- Variable stop
- Closes silently and effortlessly with BLUMOTION

#### Solutions for:

- ✓ Frameless
- ✓ Wood
- ✓ SERVO-DRIVE
- ✓ BLUMOTION
- ✓ Wide
- ✓ Narrow
- ✓ Aluminum frame

## AVENTOS

# HL



### Lift Up Door

When opened, the door travels in a parallel direction, making it a great option when objects such as cabinets or crown molding may cause interference.

#### Height range:

**300** (11-13/16") to **580** (22-13/16")

#### Width range:

**381** (15") to **1828** (72")

- Well suited for wall cabinets or below another cabinet
- Ideal for appliance garage applications
- For both frameless and face frame applications
- Simple assembly and easy adjustment
- Variable stop
- Closes silently and effortlessly with BLUMOTION

#### Solutions for:

- ✓ Face frame
- ✓ Wood
- ✓ SERVO-DRIVE
- ✓ Frameless
- ✓ Wide
- ✓ BLUMOTION
- ✓ Narrow
- ✓ Aluminum frame

## AVENTOS

# HK top



### Stay Lift Door

Requiring no measuring, this program is an easy transition into lift-up doors for wall cabinets. Ideal for applications in high cabinets and over the refrigerator.

#### Height range:

**250** (10") to **610** (24")

#### Width range:

**381** (15") to **1828** (72")

- Worry-free installation
- Adjustments accessible without removing cover cap
- Well suited for wall cabinets and/or above a pantry
- Integrated angle adjustment
- For both frameless and face frame applications
- Variable stop
- Closes silently and effortlessly with BLUMOTION

#### Solutions for:

- ✓ Face frame
  - ✓ Wood
  - ✓ SERVO-DRIVE
  - ✓ Frameless
  - ✓ Wide
  - ✓ BLUMOTION
  - ✓ Narrow
  - ✓ Aluminum frame
- \*Not available until Q4 2019
- ✓ TIP-ON

# AVENTOS HK-S



## Small Stay Lift Door

This program has only three lift mechanisms and covers all common door widths and heights. This simplifies planning, ordering and warehousing.

### Height range:

**186** (7-3/8") to **610** (24")

### Width range:

**381** (15") to **1828** (72")

- Well suited for wall cabinets and/or above a pantry
- Ideal for applications above a refrigerator
- For both frameless and face frame applications
- Simple assembly and easy adjustment
- No hinges required
- Closes silently and effortlessly with BLUMOTION

### Solutions for:

- ✓ Face frame
- ✓ Wood
- ✓ TIP-ON
- ✓ Frameless
- ✓ Wide
- ✓ BLUMOTION
- ✓ Narrow
- ✓ Aluminum frame

# AVENTOS HK-XS



## Small Stay Lift Door

This program allows for cabinets with shallow internal depths to be equipped easily. The symmetrical lift mechanism can be used on one or both sides.

### Height range:

**238** (9-3/8") to **610** (24")

### Width range:

Cabinets up to **1828** (72")

- Well suited for small wall cabinets
- For both frameless and face frame applications
- Simple assembly and easy adjustment
- Mechanism can be used on one or both sides
- Designed for use with BLUMOTION hinges

### Solutions for:

- ✓ Face frame
- ✓ Wood
- ✓ TIP-ON
- ✓ Frameless
- ✓ Wide
- ✓ BLUMOTION
- ✓ Narrow
- ✓ Aluminum frame



## Solutions for All Applications

The AVENTOS program opens up a whole new world of design possibilities, not only for the kitchen, but all parts of the home. Even the widest and heaviest doors can be accommodated. Wide base cabinet designs can now be mirrored in the wall cabinets above to create a more uniform look.

Blum offers online planning tools that provide detailed parts information and installation information. Available at [blum.com/planning](http://blum.com/planning)

# We're Your One-Stop Shop for Blum Products!



**CONTACT YOUR DAKOTA REP FOR COMPETITIVE PRICING!**



**DISTRIBUTING SUCCESS – ONE RELATIONSHIP AT A TIME**



**AUSTIN, TX**  
512-389-9773

6301 E. Stassney Lane  
#600  
Austin, TX 78744

**DALLAS, TX**  
972-677-7437

641 W. Mockingbird Lane  
Dallas, TX 75247

**HOUSTON, TX**  
713-939-WOOD (9663)

5910 West by Northwest Blvd.  
Suite 400  
Houston, TX 77040

**SAN ANTONIO, TX**  
210-967-WOOD (9663)

4441 Centergate Street  
San Antonio, TX 78217

**EL PASO, TX**  
915-590-WOOD (9663)

11630 Rojas Street  
El Paso, TX 79936

**WACO, TX**  
Corporate Headquarters  
254-772-WOOD (9663)

6805 Imperial Drive  
Suite D  
Waco, TX 76712

**TULSA, OK**  
918-442-1169

11610 E. 27th Street N.  
Suite A  
Tulsa, OK 74116

**LAFAYETTE, LA**  
337-232-2628

5550 Cameron Street  
Suite B  
Scott, LA 70583