DAKOTA

KNAPE & VOGT

Standards & Brackets

Made in the USA

SEE BACK FOR LOCATION DETAILS

87™ Series Standard & 187™ Series Bracket System

SUPER-DUTY

- Single slot design
- Adjustable in 2” increments
- Holds up to 1,060 lbs./pair.* Load rating varies per size.
- 12-gauge steel construction (Anochrome and White); 14-gauge steel construction (Stainless Steel)
- Limited lifetime warranty
- BHMA Grade 2 Compliant

Stainless steel (SS) standards and brackets shown with stainless steel shelf HWKV1987SS. (Rubber Shelf Cushion Available: HWKV129RUB)

87 Series Standards

Anochrome (ANO) RoHS

White (WH) RoHS

Stainless Steel (SS)

187 Series Brackets

Anochrome (ANO)

White (WH)

Stainless Steel (SS)

SIZE	ANOCHROME (ANO)	WHITE (WH)	STAINLESS STEEL (SS)
87 SERIES SUPER-DUTY SINGLE TRACK STANDARDS			
24”	HWKV87ANO24	HWKV87WH24	HWKV87SS24
36”	**HWKV87ANO36**	HWKV87WH36	HWKV87SS36
48”	**HWKV87ANO48**	HWKV87WH48	HWKV87SS48
60”	**HWKV87ANO60**	HWKV87WH60	HWKV87SS60
72”	**HWKV87ANO72**	HWKV87WH72	HWKV87SS72
84”	**HWKV87ANO84**	HWKV87WH84	–
96”	**HWKV87ANO96**	HWKV87WH96	–

Standard Pack (5/box. 65 lbs./100 ft. Stainless Steel standards are shipped with protective vinyl wrap.) Recommended mounting screws: #10 x 2-3/4”

SIZE	ANOCHROME (ANO)	WHITE (WH)	STAINLESS STEEL (SS)
187 SERIES SUPER-DUTY SINGLE TRACK LOCK LEVER BRACKETS			
12”	**HWKV187LLANO12**	HWKV187LLWH12	HWKV187LLSS12
14”	**HWKV187LLANO14**	HWKV187LLWH14	HWKV187LLSS14
16”	**HWKV187LLANO16**	HWKV187LLWH16	HWKV187LLSS16
18”	**HWKV187LLANO18**	HWKV187LLWH18	HWKV187LLSS18
20”	**HWKV187LLANO20**	HWKV187LLWH20	HWKV187LLSS20
22”	**HWKV187LLANO22**	HWKV187LLWH22	–
24”	HWKV187LLANO24	HWKV187LLWH24	HWKV187LLSS24**

Standard Pack (10/box. Stainless Steel brackets are shipped with protective vinyl wrap.)
**Additional lead time and minimum order quantities may apply.



Unique cam lock lever allows for easy installation while securing bracket to standard.

ITEM	DESCRIPTION	ANOCHROME (ANO) OR ZINC (ZC)	WHITE (WH)	PCS/BOX
87/187 SERIES ACCESSORIES				
End Shelf Rest	Anchors shelf to bracket at the end of shelving run.	HWKV210ANO	HWKV210WH	100/Box
Center Shelf Rest	Anchors shelf to bracket and/or joins two shelves.	**HWKV211ANO**	HWKV211WH	100/Box
Snap-in Center Shelf Rest	Anchors shelf to bracket at the end of shelving run.	**HWKV213-ZC**	HWKV213WH	100/Box
Front Shelf Rest	Anchors shelf to bracket and/or join two shelves.	**HWKV212ANO**	HWKV212WH	100/Box

*** Confirm load bearing with your sales representative. Regularly stocked part numbers in bold.**

DAKOTA

CONTACT YOUR DAKOTA REP FOR COMPETITIVE PRICING!

85™ Series Standard & 185™ Series Bracket System

EXTRA-DUTY

- Double slot design
- Adjustable in 1” increments
- Holds up to 680 lbs./pair.* Load rating varies per size.
- 16-gauge steel construction (Standards); 16-gauge steel construction (8-12” Brackets); 14-gauge steel construction (14-24” Brackets)
- Limited lifetime warranty
- BHMA Grade 2 Compliant

85/185 Series Extra-Duty Standards and Brackets Anochrome (ANO)

85 Series Standards

Anochrome (ANO) RoHS

White (WH) RoHS

185 Series Brackets

Anochrome (ANO)

White (WH)

SIZE	ANOCHROME (ANO)	WHITE (WH)
85 SERIES EXTRA-DUTY DOUBLE SLOT STANDARDS		
24”	**HWKV85ANO24**	HWKV87WH24
36”	**HWKV85ANO36**	HWKV87WH36
48”	**HWKV85ANO48**	**HWKV87WH48**
60”	**HWKV85ANO60**	HWKV87WH60
72”	**HWKV85ANO72**	**HWKV87WH72**
84”	**HWKV85ANO84**	HWKV87WH84
96”	**HWKV85ANO96**	HWKV87WH96

Standard Pack (10/box). Recommended for mounting: #10 flat-head wood screws.

SIZE	ANOCHROME (ANO)	WHITE (WH)
185 SERIES EXTRA-DUTY DOUBLE SLOT BRACKETS		
8”	**HWKV185ANO8**	HWKV185WH8
10”	**HWKV185ANO10**	HWKV185WH10
12”	**HWKV185ANO12**	**HWKV185WH12**
14”	**HWKV185ANO14**	HWKV185WH14
16”	**HWKV185ANO16**	HWKV185WH16
18”	**HWKV185ANO18**	**HWKV185WH18**
20”	**HWKV185ANO20**	HWKV185WH20
22”	**HWKV185ANO22**	HWKV185WH22
24”	**HWKV185ANO24**	HWKV185WH24

Standard Pack (10/box).

ITEM	DESCRIPTION	ANOCHROME (ANO) OR ZINC (ZC)	PCS/BOX
85/185 SERIES ACCESSORIES			
Shelf Rest	Joins two shelves at one bracket.	HWKV106ANO	100/Box
Hang Rod Clamp	Bolts to bracket to hold garment rods securely in position.	HWKV107ANO	20/Box

*** Confirm load bearing with your sales representative. Regularly stocked part numbers in bold.**

DAKOTA

CONTACT YOUR DAKOTA REP FOR COMPETITIVE PRICING!

80™ Series Standard & 180™ Series Bracket System

REGULAR-DUTY

- Single slot design
- Adjustable in 1" increments
- Holds up to 320 lbs./pair.* Load rating varies per size.
- 16-gauge steel construction (Standards); 16-gauge steel construction (8-12" Brackets); 14-gauge steel construction (14-24" Brackets)
- Limited lifetime warranty
- BHMA Grade 2 Compliant

80 Series Standards

Almond (ALM) RoHS | Anochrome (ANO) RoHS | Black (BLK) RoHS | Brown (BN) RoHS | Brass (BR) | Titanium (TI) RoHS | White (WH) RoHS

SIZE	ALMOND (ALM)	ANOCHROME (ANO)	BLACK (BLK)	BROWN (BN)	BRASS-LOOK (BR)	TITANIUM (TI)	WHITE (WH)
80 SERIES REGULAR-DUTY SINGLE SLOT STANDARDS							
12"	HWKV80ALM12**	HWKV80ALM12	HWKV80BLK12	HWKV80BN12**	HWKV80BR12	HWKV80TI12**	HWKV80WH12
18"	–	HWKV80ALM18	–	–	–	–	–
24"	HWKV80ALM24	HWKV80ALM24	HWKV80BLK24	HWKV80BN24	HWKV80BR24	HWKV80TI24	HWKV80WH24
36"	HWKV80ALM36	**HWKV80ALM36**	HWKV80BLK36	HWKV80BN36	HWKV80BR36	HWKV80TI36	**HWKV80WH36**
48"	HWKV80ALM48	**HWKV80ALM48**	HWKV80BLK48	HWKV80BN48	HWKV80BR48	HWKV80TI48	HWKV80WH48
60"	HWKV80ALM60	**HWKV80ALM60**	HWKV80BLK60	HWKV80BN60	HWKV80BR60	HWKV80TI60	HWKV80WH60
72"	HWKV80ALM72	**HWKV80ALM72**	HWKV80BLK72	HWKV80BN72	HWKV80BR72	HWKV80TI72	HWKV80WH72
84"	–	**HWKV80ALM84**	–	–	–	–	–
96"	–	**HWKV80ALM96**	HWKV80BLK96	–	–	–	HWKV80WH96

Standard Pack (10/box). Screws not included. UPC label attached.
**Additional lead time and minimum order quantities may apply.

*** Confirm load bearing with your sales representative. Regularly stocked part numbers in bold.**

• See next page for Brackets

The Right Products.
When You Need Them.

DAKOTA

CONTACT YOUR DAKOTA REP FOR COMPETITIVE PRICING!

80™ Series Standard & 180™ Series Bracket System, continued

180 Series Brackets

Almond (ALM)

Black (BLK)

Brass (BR)

Anochrome (ANO)

Brown (BN)

Titanium (TI)

White (WH)

SIZE	ALMOND (ALM)	ANOCHROME (ANO)	BLACK (BLK)	BROWN (BN)	BRASS-LOOK (BR)	TITANIUM (TI)	WHITE (WH)
180 SERIES REGULAR-DUTY SINGLE SLOT BRACKETS							
4”	–	HWKV180ANO4	HWKV180BLK4	–	–	–	HWKV180WH4
6”	HWKV180ALM6	HWKV180ANO6	HWKV180BLK6	HWKV180BN6	**HWKV180BR6**	HWKV180TI6	HWKV180WH6
8”	HWKV180ALM8	**HWKV180ANO8**†	HWKV180BLK8	HWKV180BN8	HWKV180BR8	HWKV180TI8	HWKV180WH8
10”	HWKV180ALM10	**HWKV180ANO10**	HWKV180BLK10	HWKV180BN10	HWKV180BR10	HWKV180TI10	**HWKV180WH10**
12”	HWKV180ALM12	**HWKV180ANO12**†	HWKV180BLK12	HWKV180BN12	HWKV180BR12	HWKV180TI12	HWKV180WH12
14”	HWKV180ALM14	**HWKV180ANO14**	HWKV180BLK14	HWKV180BN14	HWKV180BR14	HWKV180TI14	**HWKV180WH14**
16”	HWKV180ALM16	**HWKV180ANO16**	HWKV180BLK16	HWKV180BN16	HWKV180BR16	HWKV180TI16	HWKV180WH16
18”	–	**HWKV180ANO18**	–	–	–	–	HWKV180WH18
20”	–	**HWKV180ANO20**	–	–	–	–	HWKV180WH20

Standard Pack (10/box). UPC label attached.
† BP = Builders Pack (100/box).

*** Confirm load bearing with your sales representative. Regularly stocked part numbers in bold.**

80/180 Series Regular-Duty Standards and Brackets – White (WH)

CONTACT YOUR DAKOTA REP FOR COMPETITIVE PRICING!

83™ Series Oversized Standard & 183™ Series Flanged Bracket System

HEAVY-DUTY

- Single slot design
- Adjustable in 1" increments
- Holds up to 460 lbs./pair.* Load rating varies per size.
- 16-gauge steel construction
- Limited lifetime warranty
- BHMA Grade 2 Compliant

83 Series Oversized Standard

Anochrome (ANO)

RoHS

183 Series Flanged Brackets

183R Right Flanged Bracket

183L Left Flanged Bracket

183C Center Flanged Bracket

SIZE	ANOCHROME (ANO)
83 SERIES OVERSIZED HEAVY-DUTY SINGLE TRACK STANDARDS	
24"	HWKV83ANO24
36"	HWKV83ANO36
48"	HWKV83ANO48
60"	HWKV83ANO60
72"	**HWKV83ANO72**
84"	HWKV83ANO84
96"	**HWKV83ANO96**

Standard Pack (10/box).

	ANOCHROME (ANO)		
SIZE	RIGHT	LEFT	CENTER
183 SERIES HEAVY-DUTY FLANGED BRACKETS			
8"	HWKV183R8	HWKV183L8	HWKV183C8
10"	HWKV183R10	HWKV183L10	**HWKV183C10**
12"	HWKV183R12	**HWKV183L12**	**HWKV183C12**
14"	HWKV183R14	HWKV183L14	**HWKV183C14**
16"	**HWKV183R16**	**HWKV183L16**	HWKV183C16
18"	HWKV183R18	**HWKV183L18**	**HWKV183C18**
20"	HWKV183R20	HWKV183L20	**HWKV183C20**

Standard Pack (10/box).

*** Confirm load bearing with your sales representative. Regularly stocked part numbers in bold.**

DISTRIBUTING SUCCESS – ONE RELATIONSHIP AT A TIME

DAKOTA

AUSTIN, TX
512-389-9773
6301 E. Stassney Lane
#600
Austin, TX 78744

DALLAS, TX
972-677-7437
641 W. Mockingbird Lane
Dallas, TX 75247

HOUSTON, TX
713-939-WOOD (9663)
5910 West by Northwest Blvd.
Suite 400
Houston, TX 77040

SAN ANTONIO, TX
210-967-WOOD (9663)
4441 Centergate Street
San Antonio, TX 78217

EL PASO, TX
915-590-WOOD (9663)
11630 Rojas Street
El Paso, TX 79936

WACO, TX
Corporate Headquarters
254-772-WOOD (9663)
6805 Imperial Drive
Suite D
Waco, TX 76712

TULSA, OK
918-442-1169
11610 E. 27th Street N.
Suite A
Tulsa, OK 74116

LAFAYETTE, LA
337-232-2628
5550 Cameron Street
Suite B
Scott, LA 70583

07-2020